

Laboratory Name: Fluid Life Corporation - Brantford Laboratory

Parent Institution: The Fluid Life Corporation

Contact: Ms. Carissa Twele Phone: (877) 962-2400

Standard: Conforms with requirements of ISO/IEC 17025:2017

Revised On: 12/20/2021

Client ID: 1003736

Address: 95 Copernicus Blvd., Brantford, Ontario, N3P 1N4

Email: carissa.twele@fluidlife.com; quality@fluidlife.com

Fax: (519) 720-9705

Clients Served: All Interested Parties

Valid To: 06/22/2024

001 - Nitration and Oxidation and Sulphation and Soot

Field of Accreditation: Petroleum

Matrix: Oil

Analytical Method: FTIR **Preparation Method:** 

Lab Method ID(s): LAB-030

Method Reference Modified From Analytical Method Preparation Method

**ASTM E2412** Yes Yes No

**Parameter** Nitration Oxidation Soot (%) Loading Sulphation

002 - Kinematic Viscosity

Field of Accreditation: Petroleum Matrix: Oil

**Analytical Method: VISCOMETER Preparation Method:** 

Lab Method ID(s): LAB-027

Method Reference Modified From Analytical Method Preparation Method

ASTM D445 Yes No

**Parameter** 

Viscosity at 100 degrees C Viscosity at 40 degrees C

003 - Kinematic Viscosity

Matrix: Oil Field of Accreditation: Petroleum

Analytical Method: VISCOMETER **Preparation Method:** 

Lab Method ID(s): LAB-011, LAB-012

Method Reference Modified From Analytical Method Preparation Method

IN-HOUSE Nο Yes Nο

**Parameter** 

Viscosity at 100 degrees C Viscosity at 40 degrees C

004 - Water Content

Field of Accreditation: Petroleum Matrix: Oil

Analytical Method: KARL FISCHER TITRATION **Preparation Method:** 

Lab Method ID(s): LAB-018

Method Reference Modified From Analytical Method Preparation Method

**ASTM D6304** Yes

Parameter Water Content

005 - Acid Number

Field of Accreditation: Petroleum Matrix: Oil

Analytical Method: AUTOMATED TITRIMETRIC Preparation Method:

Lab Method ID(s): LAB-008

Method Reference Modified From Analytical Method Preparation Method

ASTM D664 Yes Yes No

Parameter

Total Acid Number

006 - Base Number

Field of Accreditation: Petroleum Matrix: Oil

Analytical Method: AUTOMATED TITRIMETRIC Preparation Method:

Lab Method ID(s): LAB-044

Method Reference Modified From Analytical Method Preparation Method

ASTM D4739 Yes Yes No

Parameter

Total Base Number

007 - Water Content

Field of Accreditation: Petroleum Matrix: Oil

Analytical Method: CRACKLE Preparation Method:

Lab Method ID(s): LAB-009

Method Reference Modified From Analytical Method Preparation Method

THE VISUAL CRACKLE - PRACTISING OIL ANALYSIS MAGAZINE SEPT 1998 Yes Yes No

Parameter Crackle

008 - Metals

Field of Accreditation: Petroleum Matrix: Oil

Analytical Method: ICP Preparation Method:

Lab Method ID(s): LAB-029

Method Reference Modified From Analytical Method Preparation Method

ASTM D5185 Yes Yes No

Parameter

Aluminum

Antimony

Barium

Beryllium

Boron

Cadmium

Calcium

Chromium

Copper

ron

Lead Lithium

Magnesium

Manganese

Molybdenum

Niekal

Nickel

Phosphorus

Potassium

Silicon

Silver

Sodium

Tin

Titanium

Vanadium

Zinc

## 009 - Particle Count

Field of Accreditation: Petroleum Matrix: Oil

Analytical Method: PARTICLE COUNTER Preparation Method:

Lab Method ID(s): LAB-051

Method Reference Modified From Analytical Method Preparation Method

ISO 11500 Yes Yes No ISO 4406 Yes Yes No

Parameter

Particle Count (4, 6, 14um)

010 - Fuels

Field of Accreditation: Petroleum Matrix: Oil

Analytical Method: GC/FID Preparation Method:

Lab Method ID(s): LAB-017

Method Reference Modified From Analytical Method Preparation Method

ASTM D7593 Yes Yes No

Parameter Fuel

011 - Glycols

Field of Accreditation: Petroleum Matrix: Oil

Analytical Method: GC/FID Preparation Method:

Lab Method ID(s): LAB-017

Method Reference Modified From Analytical Method Preparation Method

ASTM D7922 Yes Yes No

Parameter Ethylene glycol Propylene glycol

012 - Optical Particle Count

Field of Accreditation: Petroleum Matrix: Oil

Analytical Method: PARTICLE COUNTER Preparation Method:

Lab Method ID(s): LAB-015

Method Reference Modified From Analytical Method Preparation Method

IN-HOUSE Yes Yes No ISO 4406 Yes Yes No

**Parameter** 

Particle Count (14um)
Particle Count (4um)
Particle Count (6um)

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala\_directories.html

© 2021 CALA Inc.